

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/971,715	10/04/2001	Mark Kintis	12-1214	3046	
23446	7590 02/23/2005		EXAM	EXAMINER	
MCANDRE	ANDREWS HELD & MALLOY, LTD ZHENG, EVA Y			EVA Y	
500 WEST MA	ADISON STREET				
SUITE 3400			ART UNIT	PAPER NUMBER	
CHICAGO II	. 60661		2634		

DATE MAILED: 02/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			íK				
		Application No.	Applicant(s)				
Office Action Summan		09/971,715	KINTIS ET AL.				
	Office Action Summary	Examiner	Art Unit				
<del> </del>		Eva Yi Zheng	2634				
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet	with the correspondence address	S			
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nations of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may y within the statutory minimum of will apply and will expire SIX (6) No., cause the application to become	r a reply be timely filed thirty (30) days will be considered timely. IONTHS from the mailing date of this commun ABANDONED (35 U.S.C. § 133).	nication.			
Status							
1)⊠	Responsive to communication(s) filed on 04 O	ctober 2001.					
		action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
4)⊠	Claim(s) 1-26 is/are pending in the application.						
	4a) Of the above claim(s) is/are withdraw	wn from consideration.					
5)	Claim(s) is/are allowed.		-				
6)⊠	Claim(s) <u>1-26</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)[	Claim(s) are subject to restriction and/o	r election requirement.					
Applicat	on Papers		-				
9)[	The specification is objected to by the Examine	ır.					
10)	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the Ex	caminer. Note the attach	ed Office Action or form PTO-15	52.			
Priority ι	under 35 U.S.C. § 119						
	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priori	s have been received. s have been received in	Application No				
	application from the International Bureau		sirreceived in this National Stagi	E			
* 5	See the attached detailed Office action for a list		ot received.				
Attachmen							
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)		w Summary (PTO-413)				
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		o(s)/Mail Date  Informal Patent Application (PTO-152)				
Pape	r No(s)/Mail Date	6) 🗌 Other: _					

#### **DETAILED ACTION**

## Claim Objections

1. Claim 20 is objected to because of the following informalities: on line 11, recitation: "the analog to digital converting" should be changed to -- an analog to digital converter --.

Appropriate correction is required.

## Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claim 20 is rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are: a channelizer in relation with equalizer control unit.
- 4. Claims 21-26 are rejected base upon the rejected independent claim 20.

## Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 09/971,715

Art Unit: 2634

6. Claims 1-3, 9, 11, 13-16, 18 and 12 are rejected under 35 U.S.C. 102(b) as being anticipated by Lange (US 4,665,560).

Page 3

a) Regarding claim 1, Lange discloses a multichannel signal amplitude equalizer comprising:

a multichannel signal input for carrying an input signal with an input bandwidth spanning multiple communication channels (12 in Fig. 1);

a multichannel equalizer connected to the multichannel signal input and including a signal output (inherent as variable attenuator 50 and 50' in Fig. 1); and

an equalizer control (46 in Fig. 1) input coupled to the multichannel equalizer for regulating the multichannel equalizer, whereby the signal output carries, as an output signal, the input signal reduced in dynamic range (Col 2, L 39-51).

b) Regarding claim 12, Lange discloses a method for equalizing signal amplitude in an input signal, the method comprising:

obtaining an input signal with an input bandwidth spanning multiple communication channels (12 in Fig. 1);

coupling the input signal through a multichannel equalizer (inherent as variable attenuator 50 and 50' in Fig. 1); and

reducing input signal dynamic range using the multichannel equalizer (46 in Fig. 1), thereby generating an output signal on a signal output of the multichannel equalizer (Col 2, L 39-51).

c) Regarding claim 2, Lange discloses further comprising an analog to digital (A/D) converter coupled to the multichannel equalizer for digitizing the output signal (36 in Fig.

Application/Control Number: 09/971,715 Page 4

Art Unit: 2634

1), wherein the A/D converter dynamic range at least equal to an output signal dynamic range (Col 2, L33-38).

- d) Regarding claim 3, Lange discloses wherein the A/D converter is characterized by an A/D converter bandwidth at least equal to the input bandwidth (Col 2, L33-38).
- e) Regarding claims 9 and 18, Lange discloses further comprising a first local oscillator (16 in Fig. 1) for downconverting a received signal, and a first bandpass filter (18 in Fig. 1) spanning the input bandwidth and coupled to the first local oscillator and the multichannal signal input.
- f) Regarding claims 11, 15 and 16, Lange discloses the input signal is a radio frequency input signal (Col 2, L12-14).
- g) Regarding claim 13, Lange discloses wherein reducing further comprises reducing input signal dynamic range to be no greater than a predetermined dynamic range (Fig. 3).
- h) Regarding claim 14, Lange discloses further comprising an analog to digital (A/D) converter coupled to the multichannel equalizer for digitizing the output signal (36 in Fig. 1), wherein the A/D converter dynamic range no more greater than a predetermined dynamic range (Col 2, L33-38).
- 7. Claims 1-6, 11-16 and 20-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Matsuura (US 4,835,483).
- a) Regarding claim 1, Matsuura discloses a multichannel signal amplitude equalizer comprising:

Application/Control Number: 09/971,715

Art Unit: 2634

a multichannel signal input for carrying an input signal with an input bandwidth spanning multiple communication channels ("incoming IF signal" in Fig1);

a multichannel equalizer connected to the multichannel signal input and including a signal output ("transversal equalizer 1" in Fig. 1); and

an equalizer control (16 in Fig. 1) input coupled to the multichannel equalizer for regulating the multichannel equalizer, whereby the signal output carries, as an output signal, the input signal reduced in dynamic range (Col 2, L10-21).

b) Regarding claim 12, Matsuura discloses a method for equalizing signal amplitude in an input signal, the method comprising:

obtaining an input signal with an input bandwidth spanning multiple communication channels ("incoming IF signal" in Fig1);

coupling the input signal through a multichannel equalizer ("transversal equalizer 1" in Fig. 1); and

reducing input signal dynamic range using the multichannel equalizer (16 in Fig. 1), thereby generating an output signal on a signal output of the multichannel equalizer (Col 2, L10-21).

c) Regarding claim 20, Matsuura discloses a multichannel signal receiver comprising:

a multichannel signal input for carrying an input signal with an input bandwidth spanning multiple communication channels ("incoming IF signal" in Fig1);

a multichannel equalizer connected to the multichannel signal input and including a signal output ("transversal equalizer 1" in Fig. 1);

an equalizer control (16 in Fig. 1) input coupled to the multichannel equalizer for regulating the multichannel equalizer, whereby the signal output carries, as an output signal, the input signal reduced in dynamic range (Col 2, L10-21);

a channelizer (16 in Fig. 1) coupled to the analog to digital converting (14 and 15 in Fig. 1) and comprising a plurality of recovered-channel outputs (Col 1, L 56-59).

- d) Regarding claim 2, Matsuura discloses further comprising an analog to digital (A/D) converter coupled to the multichannel equalizer for digitizing the output signal (14 and 15 in Fig. 1), wherein the A/D converter dynamic range at least equal to an output signal dynamic range.
- e) Regarding claim 3, Matsuura discloses wherein the A/D converter is characterized by an A/D converter bandwidth at least equal to the input bandwidth (Col 1, L49 Col 2, L40).
- f) Regarding claim 4, Matsuura discloses wherein the multichannel equalizer comprises at least one transversal filter (4 in Fig. 1).
- g) Regarding claims 5 and 25, Matsuura discloses wherein the multichannel equalizer comprises at least one variable amplitude and phase module ("transversal equalizer 1" in Fig. 1).
- h) Regarding claim 6, Matsuura discloses wherein the multichannel equalizer comprises at least first and second channel attenuators ("transversal equalizer 1" in Fig. 1).

Application/Control Number: 09/971,715

Art Unit: 2634

i) Regarding claims 11 and 16, Matsuura discloses the input signal is a radio frequency input signal (inherent as digital radio transmission system, Col 1, L10-23)., with an input bandwidth spanning multiple wireless communication channels.

Page 7

- j) Regarding claim 13, Matsuura discloses wherein reducing further comprises reducing input signal dynamic range to be no greater than a predetermined dynamic range (abstract).
- k) Regarding claim 14, Matsuura discloses further comprising an analog to digital (A/D) converter coupled to the multichannel equalizer for digitizing the output signal, wherein the A/D converter dynamic range no more greater than a predetermined dynamic range (abstract).
- I) Regarding claim 15, Matsuura discloses a radio frequency input signal (Col 1, L10-23).
- m) Regarding claim 21, Matsuura discloses further comprising a measurement circuit (16 in Fig. 1) coupled to the recovered channel outputs for measuring an output level of a recovered-channel signal.
- n) Regarding claim 22, Matsuura discloses wherein the measurement circuit is coupled to the equalizer control input (Col 2, L10-21).
- o) Regarding claim 23, Matsuura discloses wherein output level is average power in the recovered-channel signal (202 in Fig. 8; Col 7, L25-33).
- p) Regarding claim 24, Matsuura discloses the measurement circuit is adapted to output an attenuator regulation signal on the equalizer control input when the output level exceeds a predetermined threshold (as shown in Fig. 1).

q) Regarding claim 26, Matsuura discloses wherein the multichannel equalizer comprises a multistep attenuator in at least one channel (as shown in Fig.1).

## Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 7, 8 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuura (US 4,835,483).

Regarding claims 7, 8 and 17, Matsuura discloses all the subject matters described above except for the specific teaching of the communication channel is a GSM channel and also is a North American Interim Standard (IS) channel.

However, such limitations are merely a matter of design choice and would have been obvious in the system of Matsuura. Matsuura teaches a transversal equalizer in a digital radio communication system. The limitations in claims 7, 8 and 17 do not define a patentably distinct invention over that in Matsuura since both the invention as a whole and Matsuura are directed to amplitude equalizing. Therefore, to have GSM and IS channel in Matsuura would have been a matter of obvious design choice to one of ordinary skill in the art. By doing so, provide equalizing signals in a wide variety of wireless communication systems.

10. Claims 9, 10, 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuura (US 4,835,483) in view of Mueller et al. (US. 6,111,923)

Regarding claims 9, 10, 18 and 19, Matsuura discloses all the subject matters described above except for the specific teaching of a first and second local oscillator, a first and second bandpass filter in the equalizer.

However, Mueller et al., in the same field of endeavor, disclose a first local oscillator (928 in Fig. 10), a second local oscillator (952 in Fig. 10), a first filter (936 in Fig. 10), and a second filter (968 in Fig. 10), coupled with an equalizer (972 in Fig. 10).

Therefore, it is obvious to one of ordinary skill in art at the invention to combine the oscillators and filters by Mueller et al. with the transversal equalizer system by Matsuura in order to downconverting received signals. By doing so, provide second IF signal that is suitable for subsequent signal processing.

# **Double Patenting**

11. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Application/Control Number: 09/971,715 Page 10

Art Unit: 2634

12. Claims 12-15 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting over claims 12-15 of copending Application No. 09/971,741. This is a provisional obviousness-type double patenting rejection since the conflicting claims have not yet been patented.

- 13. The subject matters claimed in the instant application and the reference copending application are claiming common subject matter, as follows:
- a) Regarding claim 12, a method for equalizing signal amplitude in an input signal, the method comprising:

obtaining an input signal with an input bandwidth spanning multiple communication channels;

coupling the input signal through a multichannel equalizer (signal attenuator); and

reducing input signal dynamic range using the multichannel equalizer, thereby generating an output signal on a signal output of the multichannel equalizer.

- b) Regarding claim 13, wherein reducing further comprises reducing input signal dynamic range to be no greater than a predetermined dynamic range.
- c) Regarding claim 14, further comprising digitizing the output signal with an analog to digital (A/D) converter, and wherein reducing further comprises reducing input signal dynamic range to be no greater than a predetermined dynamic range of the A/D converter.
- d) Regarding claim 15, wherein obtaining comprises obtaining a radio frequency input signal.

Although the conflicting claim 12 in the instant application and claim 12 in the reference copending application are not identical, they are not patentably distinct from each other because a multichannel equalizer is equivalent to a multichannel signal attenuator. This has been shown both in block 114 of Fig. 1 in the instant application and block 118 of Fig. 1 in reference copending application. Moreover, on page 2, [0022] of the instant application described the multichannel equalizer, which is identical to the description of the multichannel signal attenuator on page 2, [0023] in the reference copending application. Therefore, it is obvious to one of ordinary to skill in art to realize that multichannel equalizer has the functionality as the multichannel signal attenuator, except named differently.

### Conclusion

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eva Yi Zheng whose telephone number is (571) 272-3049. The examiner can normally be reached on 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on (571) 272-3056. The fax phone number for the organization where this application or proceeding is assigned is 703-879-9306.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

or faxed to:

## (703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Eva Yi Zheng Examiner Art Unit 2634

February 11, 2005

SHUMANG LIII PRIMARY EXAM

Showay Ti